



SteelEye Protection Suite for Windows

8.1.0

Release Notes

May 2014

This document and the information herein is the property of SIOS Technology Corp. (previously known as SteelEye® Technology, Inc.) and all unauthorized use and reproduction is prohibited. SIOS Technology Corp. makes no warranties with respect to the contents of this document and reserves the right to revise this publication and make changes to the products described herein without prior notification. It is the policy of SIOS Technology Corp. to improve products as new technology, components and software become available. SIOS Technology Corp., therefore, reserves the right to change specifications without prior notice.

LifeKeeper, SteelEye and SteelEye DataKeeper are registered trademarks of SIOS Technology Corp.

Other brand and product names used herein are for identification purposes only and may be trademarks of their respective companies.

To maintain the quality of our publications, we welcome your comments on the accuracy, clarity, organization, and value of this document.

Address correspondence to:
ip@us.sios.com

Copyright © 2014
By SIOS Technology Corp.
San Mateo, CA U.S.A.
All rights reserved

Table of Contents

SteelEye Protection Suite for Windows	1
Introduction	1
SteelEye Protection Suite Product Descriptions	1
LifeKeeper for Windows	1
DataKeeper for Windows	2
New Features of SteelEye Protection Suite for Windows Version 8	2
Bug Fixes	2
Product Requirements	2
Operating System	2
Requirements for Windows 2008 R2 and 2012	3
SteelEye Protection Suite Requirements	3
Optional Recovery Kits	4
GUI Requirements, Platforms and Browsers	4
Installing and Removing SteelEye Protection Suite for Windows	5
Technical Notes	5
lkstart	5
Running CHKDSK.EXE on SteelEye Protection Suite Protected Volume	6
Running CHKDSK.EXE During System Boot	6
Communication Paths Over Fibre Channel	7
Using iSCSI Storage with SteelEye Protection Suite	8
System Load Considerations for Quickcheck and Deepcheck	8
VSS Shadow Copy	8
Restrictions and Known Issues	8
Restrictions	8
SCVMM 2012	8

Server with Microsoft Failover Cluster Installed	9
Exchange 2007 Circular Logging and Rewind	9
FAT File System Support	9
Fault Tolerant Disk Sets	9
File Share Recovery Kit	9
LAN Manager Recovery Kit	9
Low Virtual Memory Degrades System State	10
GUI interoperability	10
Discontinuing Serial Port Communication Paths	10
Console Application Management	10
Bitlocker Does Not Support DataKeeper	10
Known Issues	11
Frequently Asked Questions	11
Documentation	12
Quick Start Guides	12
Training	12
Technical Support	12

SteelEye Protection Suite for Windows

Version 8.1

(Version 8 Update 1)

Important!!

***Read This Document Before Attempting To Install Or Use This Product!
This document contains last minute information that must be considered
before, during and after installation.***

To maintain the quality of our publications, we welcome your comments on their accuracy, clarity, organization and value.

Introduction

This information is provided for the person who installs, configures and/or administers the SteelEye Protection Suite (SPS) for Windows product and contains important information such as version requirements, last-minute changes to instructions and procedures, product restrictions and known issues. It is important that you review this document before installing and configuring the SteelEye Protection Suite software.

SteelEye Protection Suite Product Descriptions

SteelEye Protection Suite for Windows is a software bundle that integrates high availability clustering and data replication functionality to protect mission-critical data and applications and includes DataKeeper (DK), LifeKeeper (LK) and optional Recovery Kits.

LifeKeeper for Windows

LifeKeeper for Windows continues SIOS Technology Corp.'s tradition of providing world-class reliability for mission critical applications. LifeKeeper for Windows leverages over a decade of experience with high availability platforms by providing customers the ability to cluster multiple servers in order to monitor and restore their applications. In the event of a failure, LifeKeeper recovers all network interfaces, data and applications. Recovery occurs automatically and is transparent to clients, thus minimizing downtime and loss of business.

LifeKeeper for Windows enables continuous operations during planned downtime as well as in the event of a system or application failure. With LifeKeeper, the amount of downtime required for common maintenance tasks and upgrades is significantly reduced or eliminated.

DataKeeper for Windows

SteelEye DataKeeper is a highly optimized host-based replication solution which ensures your data is replicated as quickly and as efficiently as possible from your source server across the network to one or more target servers.

New Features of SteelEye Protection Suite for Windows Version 8

Feature	Description
New in This Release	
Microsoft Windows Server 2012 R2 Support	LifeKeeper Version 8.1 and later supports Windows Server 2012 R2.
General maintenance	See Bug Fixes below.
New in Version 8.0.1	
General maintenance	Bug Fixes.
New in Version 8.0	
General maintenance	Bug Fixes.

Bug Fixes

The following is a list of the latest bug fixes and enhancements.

Bug	Description
3377	Created tunables for Oracle service start
3871	Shared volume unlocked and read-only after a reboot of standby node
3883	Unable to create a mirror with more than 6 extents

Product Requirements

Operating System

Important: SIOS Technology Corp. recommends that users use Domain accounts that have local administrator privileges on all servers running SteelEye Protection Suite. If local accounts are being used, the user names and passwords must match on all servers running SteelEye Protection Suite. This recommendation is for all editions and all platforms.

Note: All servers within a cluster should be running the same version of Windows.

Product	Operating Systems	Additional Software
SteelEye Protection Suite (Server Components)	See the SPS Support Matrix	n/a
SteelEye Protection Suite (User Interface)	See the SPS Support Matrix	MMC 3.0 - download from: http://support.microsoft.com/kb/907265
Virtual Environments	<p>The operating system versions listed above are supported for guests running on the following virtual platforms:</p> <ul style="list-style-type: none"> VMware vSphere 4.0 or later Microsoft Hyper-V Server 2008 R2 or later Citrix XenServer 5.5 or later KVM with Kernel 2.6.32 or later 	
64-bit versions (x64, no Itanium) of all of the listed OS platforms are supported		

Requirements for Windows 2008 R2 and 2012

While installing SteelEye Protection Suite on Windows 2008 R2, a dialog box will prompt whether the installer should make the system configuration changes described below. If the installer is not allowed to make these changes, they will need to be made manually after installation is complete.

- Windows Firewall
- The **Distributed Link Tracking Client** must be **disabled**

For systems running SteelEye Protection Suite for Windows and Microsoft FTP Service 7.5 for IIS 7.0, Windows 2008 R2 or later is required.

In addition, if your Windows 2008 R2 and 2012 servers are not in a domain, the Local Security policy setting "**Network Access: Let Everyone permissions apply to anonymous users**" must be enabled. If the servers are in a domain, then this setting is not required.

SteelEye Protection Suite Requirements

The following table shows requirements applicable to the SteelEye Protection Suite core and recovery kits.

Optional Recovery Kits

Core	Requirement(s)
SteelEye Protection Suite License	One license is required for every server on which SteelEye Protection Suite runs. This applies to both physical and virtual servers.
LAN Manager Recovery Kit	Requires the “ File and Print Sharing for Microsoft Networks ” component (lanmanserver) to be installed on the Windows server. NetBIOS must also be enabled. Otherwise, the LAN Manager resource will not come in service.
Memory Requirements	The minimum memory requirement for a system supporting SteelEye Protection Suite for Windows is based on the memory requirements for the operating system being used. Additional memory is required to run user applications in addition to that required for SteelEye Protection Suite.
GUI	<p>Ports: SteelEye Protection Suite uses Port 82 for Remote Method Invocation (RMI) communication between the GUI server and client.</p> <p>The LifeKeeper GUI uses Port 81 for its administration web server which should be different from any public web server. This is used by the GUI when run as a Java applet on a remote client.</p> <p>In the event of conflict with an existing application, these ports can be changed by editing the <code>RMI_PORT</code> or <code>WEB_PORT</code> entries in the <code>STEELEYE\LIFEKEEPER\JAVAGUI\SERVER</code> registry key.</p>

Optional Recovery Kits

All optional SteelEye Protection Suite Recovery Kits require a software license key in order to function with SteelEye Protection Suite.

Kit Name	Versions/Requirements
Microsoft SQL Server Recovery Kit	See the SPS Support Matrix
Oracle Recovery Kit	See the SPS Support Matrix

GUI Requirements, Platforms and Browsers

LifeKeeper requires that the Java Runtime Environment (JRE) be installed on each server. The 32-bit Windows JRE 1.7.0_10 is installed with the SteelEye Protection Suite Core software. JRE 1.7.0_10 has been fully tested with the LifeKeeper GUI Server and GUI Application components.

SteelEye Protection Suite can be administered from a system outside the SteelEye Protection Suite cluster by running the SteelEye Protection Suite web client. Included in the following table is a list of the supported platforms and browsers for the SteelEye Protection Suite web client. As in the case of the server, we have tested with JRE 1.7.0_10, but we expect that the client will work equally well with future JRE updates.

Updating the client JRE only affects that machine, so it is not as critical to test for safety as when you are updating the server JRE. We do recommend that you test updates before committing to them, and that you prepare to roll them back if a problem occurs.

Operating System	Internet Explorer 5.5+, 6.0	Internet Explorer 7.0, 8.0	Internet Explorer 9.0	Internet Explorer 10.0	Mozilla Firefox 1.5, 2	Mozilla Firefox 3
Windows 2012				X		
Windows 2008 R2		X				
Windows 7		X				
Linux	N/A	N/A	N/A	N/A	X	X

Note: Other recent platforms and browsers will likely work with the SteelEye Protection Suite web client, but they have not been tested by SIOS Technology Corp.

Installing and Removing SteelEye Protection Suite for Windows

SteelEye Protection Suite for Windows uses InstallShield to provide a standard installation interface with choices for **Typical**, **Compact** or **Custom** installation. See the SteelEye Protection Suite Installation Guide for details about installing, removing or upgrading your SteelEye Protection Suite software.

IMPORTANT

- Customizations made to SteelEye Protection Suite scripts must be reapplied after upgrading to all releases of SteelEye Protection Suite for Windows v8.
- Make sure you obtain the correct licenses; the old licenses will remain on the system and can be deleted with the license installer tool.
- SIOS does not support upgrading SteelEye Protection Suite from more than one major version back. If upgrading from a version prior to LifeKeeper for Windows v7.x to SteelEye Protection Suite for Windows v8, uninstall the old version of LifeKeeper and reinstall SteelEye Protection Suite for Windows v8.

Technical Notes

lkstart

This program starts LifeKeeper on the current system if it is not currently running. `lkstart` modifies entries in the `%LKROOT%\etc\LKinit.config` file pertaining to the LifeKeeper daemons so that they will be respawned if they die.

The `-w` option, with `waitperiod` in seconds, can be used to change the timeout interval. Use the `-w` argument to specify a wait period before the startup.

The LifeKeeper service can also be started using the Microsoft Services MMC under Administrative Tools or from a command prompt using either “`sc start LifeKeeper`” or “`net start LifeKeeper`”.

Note: This program must be run from the console.

Running CHKDSK . EXE on SteelEye Protection Suite Protected Volume

Microsoft recommends running the utility `chkdsk.exe` to check and correct file system or disk errors on volumes that have not been cleanly shut down. However, depending on the extent of errors, the utility may take a very long time to complete. It may take several hours or even days for `chkdsk` to completely check the volume, or it may hang while checking the volume. Due to these reasons, SteelEye Protection Suite does not run the `chkdsk` utility on protected volumes. SteelEye Protection Suite does run the Microsoft utility `chkntfs.exe` to check whether a volume is dirty or not before bringing the volume in service. If a protected volume is found dirty, SteelEye Protection Suite will log an error to the event log.

It is recommended that administrators periodically run `chkdsk` on SteelEye Protection Suite protected volumes on the server where the volume resource(s) are in service. Administrators should take all the applications using the volume resource(s) out-of-service prior to running `chkdsk`.

Running CHKDSK . EXE During System Boot

SteelEye Protection Suite protected volumes are typically not eligible for the `chkdsk` utility to run on them at system boot time because LifeKeeper and DataKeeper need to be able to lock the volumes. If a SteelEye Protection Suite protected volume needs to be checked at boot time, the steps below can be performed on the active node.

For Mirrored Volumes or SDRS Volumes (shared at one site, replicated to a remote site)

1. `%ExtMirrBase%\emcmd" . getconfiguration <drv>` (save the number reported on the first line of output for later use after reboot)
2. `%ExtMirrBase%\emcmd" . setconfiguration <drv> 32`
3. `%LKBIN%\lkstop" -f`
4. `sc stop ExtMirrSvc`
5. `sc config lifekeeper start= demand`
6. `sc config ExtMirrSvc start= demand`
7. `chkntfs /D`
8. `chkntfs /c <drv>`
9. `reboot`

Perform the following steps after reboot.

10. `sc config lifekeeper start= auto`
11. `sc config ExtMirrSvc start= auto`

12. `sc start ExtMirrSvc`
13. `"%ExtMirrBase%\emcmd" . setconfiguration <drv> (number reported by emcmd getconfiguration in step 1).`
14. `reboot`

For Shared Volumes

1. `"%LKBIN%\volume" -U <drv>`
2. `"%LKBIN%\lkstop" -f`
3. `chkntfs /c <drv>`
4. `reboot`

Perform following steps after reboot.

5. `"%LKBIN%\volume" -p <drv>`
6. `"%LKBIN%\lkstop" -f`
7. `"%LKBIN%\lkstart"`

For Replicated Volumes

1. `"%LKBIN%\lkstop" -f`
2. `chkntfs /D`
3. `chkntfs /c <drv>`
4. `reboot`

Communication Paths Over Fibre Channel

When building a SteelEye Protection Suite cluster using shared storage, it is important to maintain working communication paths between the nodes in the cluster. Communication paths should be created using TCP communication protocols. Normally, TCP communication paths are built on Ethernet network devices. SteelEye Protection Suite, however, can use any type of connection on which the TCP protocol can run. If a shared storage cluster is being created using a Fibre Channel SAN, it is possible (and desirable) to use the Fibre Channel SAN as a SteelEye Protection Suite communication path.

QLogic provides a miniport driver and an IP driver for Windows that will allow a QLogic Fibre Channel storage adapter to also run the TCP/IP protocol. This, in effect, allows the QLogic Fibre Channel adapter to function both as a storage adapter and as a network adapter. Once this driver is in place, the QLogic card can be configured, as any network card would, using standard network configuration techniques.

QLogic's driver can be downloaded from the following web site:

http://driverdownloads.qlogic.com/QLogicDriverDownloads_UI/DefaultNewSearch.aspx

Using iSCSI Storage with SteelEye Protection Suite

iSCSI storage can be used as shared storage and protected by SteelEye Protection Suite. For shared storage environments, the iSCSI target device must be configured so that all server initiators have access to the disk. The vendor of the iSCSI storage device provides the interface and commands needed to configure the iSCSI device. A dependency on the Microsoft iSCSI Initiator service (MSiSCSI) should be added to the LifeKeeper service. This will ensure that the shared volume is available before LifeKeeper attempts to access the volume.

To create a dependency on MSiSCSI for the LifeKeeper service, use the registry editor "*regedt32.exe*" and select the subkey representing the LifeKeeper service under *HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\LifeKeeper*. The service key has a value name "DependOnService" with one value "EISM". Double-click the value name "DependOnService" to open for editing. When the dialog box appears, add the service name "MSiSCSI" for Microsoft iSCSI Initiator service on a new line and click **OK**.

To verify that the dependency was created, open *Administrative Tools->Services* MMC snap-in. Go to LifeKeeper service and double-click to bring up the "**Properties**" dialog. When the dialog box appears, go to "**Dependencies**" page and verify that "**Microsoft iSCSI Initiator**" service is listed along with "**LifeKeeper External Interface**" in the "**depends on**" field.

System Load Considerations for Quickcheck and Deepcheck

SteelEye Protection Suite launches a separate thread to monitor each protected resource in the system. These threads operate independently of one another. Typically, system load from *Quickcheck* and *Deepcheck* script execution will be randomly distributed. SteelEye Protection Suite also works to distribute resource monitoring load by skipping a *Quickcheck* execution whenever a *Deepcheck* for the same resource is scheduled to run at the same time. However, because the check load is randomly distributed, there will occasionally be peaks in system load from resource monitoring. The more protected resources in the system, the larger these peaks will be and the more often they may occur. The largest peak will occur when LifeKeeper is started and *Deepcheck* scripts for each active resource are first launched. If the server can handle this first load peak in a satisfactory way, then there should not be a performance problem later.

VSS Shadow Copy

SteelEye Protection Suite support for VSS Shadow Copy requires that shadow copies must NOT be stored on the SteelEye Protection Suite protected volumes. However, shadow copies may be saved on another non-protected volume.

Restrictions and Known Issues

Restrictions

SCVMM 2012

If using DataKeeper with SCVMM 2012, you must use SCVMM 2012 SP1.

Server with Microsoft Failover Cluster Installed

SteelEye Protection Suite is not supported on Enterprise or DataCenter class servers with Microsoft Cluster Server or Microsoft Failover Cluster features installed. It should never be the case that two “Clustering” solutions are deployed on the same group of servers. As part of this restriction, SteelEye Protection Suite communication paths will not function using IP addresses (169.254.xxx.xxx) that are hosted by the Microsoft Failover Cluster Virtual Adapters (Virtual NICs).

Exchange 2007 Circular Logging and Rewind

The SteelEye Protection Suite Rewind feature is not supported if **Circular Logging** is enabled in Microsoft Exchange 2007 Server. This restriction is a result of the way Exchange overwrites its log files when circular logging is enabled, which interferes with SteelEye Protection Suite's ability to calculate a consistent rewind point.

FAT File System Support

SteelEye Protection Suite does not support protection for volumes using the FAT or FAT32 file systems.

Fault Tolerant Disk Sets

While SteelEye Protection Suite replicated volumes are supported using Windows fault tolerant disk sets (Software RAID), SteelEye Protection Suite shared volumes are not compatible with Windows fault tolerant disk sets. Fault tolerant disk sets must be set up with dynamic disks and dynamic disks cannot be shared between two systems.

File Share Recovery Kit

- The File Share Recovery Kit is supported only in an Active Domain environment, not in a Workgroup environment. File share permissions granted to local machine accounts, either in a workgroup environment or a domain environment, will not be preserved during failover because local User IDs are valid only on the local system where they originated; other systems will not recognize them. Even if two local User IDs are spelled the same way on two different machines, they will be treated as two different accounts and valid only on the system where they originated. Domain accounts, on the other hand, are identifiable and usable on any system in the domain.
- The File Share Recovery Kit will not work if more than 9999 file shares are defined on the system. Any attempt to protect eligible file shares under SteelEye Protection Suite will fail if the total number of user-defined shares exceeds 9999. This restriction also applies to editing file share resources. You will not be able to alter the list of protected shares if more than 9999 shares are defined on the system.

LAN Manager Recovery Kit

Microsoft supports LAN Manager functions only over the first IP address per network interface card (Microsoft bug SRX#9704116-48). This prohibits using LAN Manager functions over SteelEye Protection Suite protected IP addresses. Therefore, the only way to switch over an alias computer name using the TCP/IP protocol is to allow dynamic IP#-to-LAN Manager name mapping for your clients. The recommended solution is to use a WINS server. You will need to make the SteelEye Protection Suite servers (and all computers accessing the protected LAN Manager name) WINS clients of the same WINS server.

Low Virtual Memory Degrades System State

SteelEye Protection Suite depends on memory being available when it is needed. If your system is reporting that it is low on virtual memory, that need must be resolved immediately.

A virtual memory shortage serious enough to degrade or delay communications and other internal system functions will very likely cause SteelEye Protection Suite to malfunction. For instance, `deepcheck` of TCP/IP communication resources may be impacted enough to cause a false failure, and thus a failover of the resource to the backup server.

If SteelEye Protection Suite communication with other servers in the cluster is degraded, it could cause a manually initiated switchover to fail. However, this will not affect SteelEye Protection Suite's ability to fail over protected resources when a server completely fails.

GUI interoperability

The LifeKeeper GUI may only be used to administer SteelEye Protection Suite on Windows servers. Note that you can *connect to* and *monitor* a SteelEye Protection Suite for Linux cluster. However, performing administrative tasks such as creating resources, editing properties, bringing servers in and out of service, is **not** supported at this time.

Discontinuing Serial Port Communication Paths

SteelEye Protection Suite discontinued support for TTY communication paths in Version 7.2. Though SIOS does not recommend it, if currently using TTY communication paths, this option can be re-enabled by removing the (#) symbol on the `TTYCA.EXE` line in the `/etc/lkinit.config` file as shown below:

```
# ... /bin/TTYCA.EXE|-t 1 X X X X X X X <=  
(TTY Comm Paths Disabled)  
... /bin/TTYCA.EXE|-t 1 X X X X X X X <=  
(TTY Comm Paths Enabled)
```

To enable or disable the TTY communication path feature, the LifeKeeper service must be stopped and restarted after editing `lkinit.config`. To stop LifeKeeper, run command `{c:\lk}\bin\lkstop.exe -f {c:\lk}` (being the LifeKeeper installation path). Make sure the GUI is closed and all processes associated have stopped. Restart LifeKeeper by entering `{c:\lk}\bin\lkstart.exe`.

The TTY technology is obsolete. TTY communication paths are not supported and should be replaced with TCP/IP communication paths.

Console Application Management

Launching console applications from SteelEye Protection Suite is not supported on Windows Server 2008 and later. Server architecture and security improvements in Server 2008 including UAC and memory management, prevent background processes such as SteelEye Protection Suite from starting console applications.

Bitlocker Does Not Support DataKeeper

According to Microsoft, Bitlocker is not supported to work with Software RAID configurations. Since DataKeeper is essentially a software RAID 1, Microsoft does not support Bitlocker working with DataKeeper.

The specific article and section can be found here:

http://technet.microsoft.com/en-us/library/ee449438#BKMK_R2disks

Known Issues

For additional known issues, see the Troubleshooting section of SteelEye Protection Suite for Windows Technical Documentation.

Frequently Asked Questions

Can I change my SteelEye Protection Suite configuration database setting including resource values without reinstalling SteelEye Protection Suite or rebuilding my resources?

Yes. Use the `lk_chg_value.ksh` command.

Can I upgrade my existing SteelEye Protection Suite hierarchies from a previous version of SteelEye Protection Suite for Windows to v8?

You may upgrade your existing SteelEye Protection Suite for Windows software while preserving your resource hierarchies. Please refer to the Upgrading SteelEye Protection Suite topic for the correct upgrade procedure. **Note:** SIOS does not support upgrading SteelEye Protection Suite from more than one major version back. If upgrading from a version prior to LifeKeeper for Windows v7.x to SteelEye Protection Suite for Windows v8, uninstall the old version of LifeKeeper and reinstall SteelEye Protection Suite for Windows v8.

Does SteelEye Protection Suite operate in a cluster with Microsoft Cluster Services (Windows 2003) or Windows Server Failover Cluster (Windows 2008 and later)?

No. SteelEye Protection Suite v8.0.1 is an alternative clustering product and does not support either Microsoft Cluster Service or Windows Server Failover Clustering.

Does SteelEye Protection Suite require that all servers in the cluster be identically configured?

No. As long as all servers are powerful enough to run any application that may run on them as the result of a failover operation and meet all other SteelEye Protection Suite requirements, a cluster can be built. SteelEye Protection Suite does not require identical hardware, but the software should be the same and configured with the same service pack levels.

Does SteelEye Protection Suite for Windows support 64-bit environments?

Yes. SteelEye Protection Suite for Windows supports only 64-bit platforms.

How do I change permissions on SteelEye Protection Suite protected File Share resources?

The `EditFileShareResource` utility can be used to update a file share resource with all current file shares and permissions on the associated volume(s). This can be useful in environments where there are a large number of file shares, and file shares have been added or deleted since the resource was created or permissions have been modified. Using the utility can prevent the need to delete and re-create the file share resource. The `EditFileShareResource` utility is located under `%LKROOT%\bin` directory.

To invoke the utility, on the command line enter:

```
EditFileShareResource <Tag name>
```

where <Tag name> is the tag name of a file share resource that is currently in service.

The utility protects **all** eligible file shares defined on the volumes that are associated with the file share hierarchy. It deletes any previously protected shares that have been deleted from the system and adds newly defined shares (meeting the eligibility criteria) to the list. It will also update the file share permissions defined on the file share.

Documentation

A complete reference providing instructions for installing, configuring, administering and troubleshooting SteelEye Protection Suite for Windows is available in the SteelEye Protection Suite for Windows Technical Documentation. The following sections cover every aspect of SteelEye Protection Suite for Windows:

Quick Start Guides

To get started using SteelEye Protection Suite for Windows, refer to the SteelEye Protection Suite for Windows Quick Start Guide and the DataKeeper Quick Start Guide.

Training

SteelEye Protection Suite training is available through SIOS Technology Corp. or through your SteelEye Protection Suite provider. Contact your sales representative for more information.

Technical Support

As a SIOS Technology Corp. customer with a valid Support contract, you are entitled to access the [SIOS Technology Corp. Support Self-Service Portal](#).

The [SIOS Technology Corp. Support Self-Service Portal](#) offers you the following capabilities:

- Search our **Solution Knowledge Base** to find solutions to problems and answers to questions
- Always on 24/7 service with the SIOS Technology Corp. Support team to:
 - **Log a Case** to report new incidents.
 - **View Cases** to see all of your open and closed incidents.
 - **Review Top Solutions** providing information on the most popular problem resolutions being viewed by our customers.

Contact SIOS Technology Corp. Support at support@us.sios.com to set up and activate your Self-Service Portal account.

You can also contact SIOS Technology Corp. Support at:

1-877-457-5113 (Toll Free)

Technical Support

1-803-808-4270 (International)

Email: support@us.sios.com

